



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Unique formula identifier

QF14-N06E-G00N-8MRC

EAN



4 262435 963824

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

e-Liquid for electronic cigarettes

1.3 Details of the supplier of the safety data sheet

Feal GmbH
Motorstraße 41
70499 Stuttgart
Deutschland

Tel.: +49 (0)711 - 21 95 77 33
eMail: mail@fealgmbh.de
Web: www.vape-distribution.de

competent person responsible for the safety data sheet

Feal GmbH
Motorstraße 41
70499 Stuttgart
Deutschland
Tel.: +49 (0)711 - 21 95 77 33
eMail: mail@fealgmbh.de

1.4 Emergency telephone number

Vergiftungs-Informations-Zentrale Freiburg:
+49(0)761-19240 This phone number is available
24 hours a day, 7 days a week.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This mixture does not meet the criteria for classification.

2.2 Label elements

Labelling

- Signal word not required

- Pictograms not required

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P103 Read carefully and follow all instructions.

P501 Dispose of contents/container to an authorized waste treatment facility.

- Supplemental hazard information

EUH208 Contains Mentha arvensis, ext.. May produce an allergic reaction.



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

Derogations from labelling requirements

Labelling of packages where the contents do not exceed 125 ml

- Supplemental hazard information

EUH208 Contains Mentha arvensis, ext.. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Propane-1,2-diol	CAS No 57-55-6 EC No 200-338-0	50 – < 75		
Glycerol	CAS No 56-81-5 EC No 200-289-5	25 – < 50		
Ethyl butyrate	CAS No 105-54-4 EC No 203-306-4	1 – < 2	Flam. Liq. 3 / H226	
L-menthol	CAS No 2216-51-5 EC No 218-690-9	0.1 – < 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319	
Mentha arvensis, ext.	CAS No 90063-97-1 68608-35-5 68917-18-0 EC No 290-058-5	0.1 – < 1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412	
Ethyl acetate	CAS No 141-78-6 EC No 205-500-4	0.1 – < 1	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	 

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Benzyl alcohol	CAS No 100-51-6 EC No 202-859-9 Index No 603-057-00-5	0.1 – < 1	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Irrit. 2 / H319	
Vanillin	CAS No 121-33-5 84650-63-5 EC No 204-465-2	0.1 – < 1	Eye Irrit. 2 / H319	
Propan-2-ol	CAS No 67-63-0 EC No 200-661-7	0.1 – < 1	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	 
N,2,3-trimethyl-2-(propan-2-yl)butanamide	CAS No 51115-67-4 EC No 256-974-4	0.1 – < 1	Acute Tox. 4 / H302	
Propionic acid	CAS No 79-09-4 EC No 201-176-3	0.1 – < 1	Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318	 
Ethyl enantate	CAS No 106-30-9 EC No 203-382-9	0.1 – < 1	Aquatic Acute 1 / H400	
Dimethyl sulphide	CAS No 75-18-3 EC No 200-846-2	0.1 – < 1	Flam. Liq. 2 / H225 Aquatic Chronic 3 / H412	

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
L-menthol	Skin Irrit. 2; H315: C ≥ 25 % Eye Irrit. 2; H319: C ≥ 25 %	-	-	
Mentha arvensis, ext.	-	-	500 mg/kg	oral
Benzyl alcohol	-	-	1,580 mg/kg 11 mg/l/4h >4.178 mg/l/4h	oral inhalation: vapour inhalation: dust/mist
N,2,3-trimethyl-2-(propan-2-yl)butanamide	-	-	490 mg/kg	oral



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Propionic acid	Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	-	>9.85 mg/l/4h	inhalation: vapour

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

There is no additional information.

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials" (Section 10).

7.3 Specific end use(s)

See section 16 for a general overview.



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
EU	ethyl acetate	141-78-6	IOEL V	200	734	400	1,468				2017/164/EU
EU	propionic acid	79-09-4	IOEL V	10	31	20	62				2000/39/EC

Notation

Ceiling-C
STEL

ceiling value is a limit value above which exposure should not occur
short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours
time-weighted average (unless otherwise specified)

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Glycerol	56-81-5	DNEL	56 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Ethyl butyrate	105-54-4	DNEL	14.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Ethyl butyrate	105-54-4	DNEL	0.181 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
L-menthol	2216-51-5	DNEL	132 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
L-menthol	2216-51-5	DNEL	10 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
L-menthol	2216-51-5	DNEL	10 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
L-menthol	2216-51-5	DNEL	19 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Mentha arvensis, ext.	90063-97-1 68608-35-5 68917-18-0	DNEL	35.3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Mentha arvensis, ext.	90063-97-1 68608-35-5 68917-18-0	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Ethyl acetate	141-78-6	DNEL	734 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Ethyl acetate	141-78-6	DNEL	1,468 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Ethyl acetate	141-78-6	DNEL	734 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Ethyl acetate	141-78-6	DNEL	1,468 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Ethyl acetate	141-78-6	DNEL	63 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Propan-2-ol	67-63-0	DNEL	500 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Propan-2-ol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Propionic acid	79-09-4	DNEL	73 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Propionic acid	79-09-4	DNEL	31 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Propionic acid	79-09-4	DNEL	62 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Propionic acid	79-09-4	DNEL	20.9 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Dimethyl sulphide	75-18-3	DNEL	12.3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Dimethyl sulphide	75-18-3	DNEL	17.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Propane-1,2-diol	57-55-6	PNEC	260 mg/l	aquatic organisms	freshwater	short-term (single instance)
Propane-1,2-diol	57-55-6	PNEC	26 mg/l	aquatic organisms	marine water	short-term (single instance)
Propane-1,2-diol	57-55-6	PNEC	20,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Propane-1,2-diol	57-55-6	PNEC	572 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Propane-1,2-diol	57-55-6	PNEC	57.2 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Propane-1,2-diol	57-55-6	PNEC	50 mg/kg	terrestrial organisms	soil	short-term (single instance)



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Glycerol	56-81-5	PNEC	0.885 mg/l	aquatic organisms	freshwater	short-term (single instance)
Glycerol	56-81-5	PNEC	0.088 mg/l	aquatic organisms	marine water	short-term (single instance)
Glycerol	56-81-5	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Glycerol	56-81-5	PNEC	3.3 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Glycerol	56-81-5	PNEC	0.33 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Glycerol	56-81-5	PNEC	0.141 mg/kg	terrestrial organisms	soil	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	0.131 mg/l	aquatic organisms	freshwater	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	13.1 µg/l	aquatic organisms	marine water	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	23.6 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	0.762 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	76.2 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	75.6 µg/kg	terrestrial organisms	soil	short-term (single instance)
L-menthol	2216-51-5	PNEC	15.6 µg/l	aquatic organisms	freshwater	short-term (single instance)
L-menthol	2216-51-5	PNEC	1.56 µg/l	aquatic organisms	marine water	short-term (single instance)
L-menthol	2216-51-5	PNEC	2.37 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
L-menthol	2216-51-5	PNEC	289 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
L-menthol	2216-51-5	PNEC	28.9 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
L-menthol	2216-51-5	PNEC	48.4 µg/kg	terrestrial organisms	soil	short-term (single instance)
Ethyl acetate	141-78-6	PNEC	0.24 mg/l	aquatic organisms	freshwater	short-term (single instance)
Ethyl acetate	141-78-6	PNEC	0.024 mg/l	aquatic organisms	marine water	short-term (single instance)



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Ethyl acetate	141-78-6	PNEC	650 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Ethyl acetate	141-78-6	PNEC	1.15 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Ethyl acetate	141-78-6	PNEC	0.115 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Ethyl acetate	141-78-6	PNEC	0.148 mg/kg	terrestrial organisms	soil	short-term (single instance)
Vanillin	121-33-5 84650-63-5	PNEC	0.118 mg/l	aquatic organisms	freshwater	short-term (single instance)
Vanillin	121-33-5 84650-63-5	PNEC	0.012 mg/l	aquatic organisms	marine water	short-term (single instance)
Vanillin	121-33-5 84650-63-5	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Vanillin	121-33-5 84650-63-5	PNEC	58.22 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Vanillin	121-33-5 84650-63-5	PNEC	5.822 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Vanillin	121-33-5 84650-63-5	PNEC	11.54 mg/kg	terrestrial organisms	soil	short-term (single instance)
Propan-2-ol	67-63-0	PNEC	140.9 mg/l	aquatic organisms	freshwater	short-term (single instance)
Propan-2-ol	67-63-0	PNEC	140.9 mg/l	aquatic organisms	marine water	short-term (single instance)
Propan-2-ol	67-63-0	PNEC	2,251 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Propan-2-ol	67-63-0	PNEC	552 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Propan-2-ol	67-63-0	PNEC	552 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Propan-2-ol	67-63-0	PNEC	28 mg/kg	terrestrial organisms	soil	short-term (single instance)
Propionic acid	79-09-4	PNEC	0.5 mg/l	aquatic organisms	freshwater	short-term (single instance)
Propionic acid	79-09-4	PNEC	0.05 mg/l	aquatic organisms	marine water	short-term (single instance)
Propionic acid	79-09-4	PNEC	5 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Propionic acid	79-09-4	PNEC	1.86 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Propionic acid	79-09-4	PNEC	0.186 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Propionic acid	79-09-4	PNEC	0.126 mg/kg	terrestrial organisms	soil	short-term (single instance)
Ethyl enantate	106-30-9	PNEC	0 mg/l	aquatic organisms	freshwater	short-term (single instance)
Ethyl enantate	106-30-9	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Ethyl enantate	106-30-9	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Ethyl enantate	106-30-9	PNEC	0.029 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Ethyl enantate	106-30-9	PNEC	0.003 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Ethyl enantate	106-30-9	PNEC	0.006 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dimethyl sulphide	75-18-3	PNEC	0.029 mg/l	aquatic organisms	freshwater	short-term (single instance)
Dimethyl sulphide	75-18-3	PNEC	0.003 mg/l	aquatic organisms	marine water	short-term (single instance)
Dimethyl sulphide	75-18-3	PNEC	0.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dimethyl sulphide	75-18-3	PNEC	0.12 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dimethyl sulphide	75-18-3	PNEC	0.012 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dimethyl sulphide	75-18-3	PNEC	0.007 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	different
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

Vapour pressure	not determined
-----------------	----------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
--	--

Other safety characteristics

Liquid content	96.48 %
Solid content	3.255 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
Mentha arvensis, ext.	90063-97-1 68608-35-5 68917-18-0	oral	500 mg/kg
Benzyl alcohol	100-51-6	oral	1,580 mg/kg
Benzyl alcohol	100-51-6	inhalation: vapour	11 mg/l/4h
Benzyl alcohol	100-51-6	inhalation: dust/mist	>4.178 mg/l/4h
N,2,3-trimethyl-2-(propan-2-yl)butanamide	51115-67-4	oral	490 mg/kg
Propionic acid	79-09-4	inhalation: vapour	>9.85 mg/l/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Contains Mentha arvensis, ext.. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

SECTION 14: Transport information

- 14.1 UN number or ID number** not subject to transport regulations
- 14.2 UN proper shipping name** not relevant
- 14.3 Transport hazard class(es)** none
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**
There is no additional information.
- 14.7 Maritime transport in bulk according to IMO instruments**
The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
Relevant provisions of the European Union (EU)

Deco-Paint Directive

VOC content	67.38 %
-------------	---------

Industrial Emissions Directive (IED)

VOC content	66.91 %
-------------	---------

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed

Legend

REACH Reg. REACH registered substances

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Visha - X-Shisha POD - Chapter 1 - 0mg/ml

Version number: GHS 1.0

Date of compilation: 2024-01-08

Code	Text
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.